



501

11 12

021-20511000

021-20511999

200120

9:15-9:25 9:30-11:30 13:00-15:00
9:15-15:00

268

3

1

2

1

2

3

(本頁正) 中 // 上海市建筑工程師事務所工程上... 為工和上... 限公... 司...

[illegible]

The diagram illustrates the experimental design. It shows a sequence of events: a stimulus (a word) is presented, followed by a response (a word), and then feedback (a word). This sequence is repeated for multiple trials. The subject's response is compared to the target word, and the feedback is provided based on the comparison.



Year	United States (%)	Japan (%)	Germany (%)
1950	7	7	15
1960	8	8	16
1970	9	10	17
1980	10	13	17
1990	11	16	17
2000	12	18	17
2010	13	19	17
2020	14	20	17
2030	14.5	20	17.5
2040	15	20	18
2050	15	20	18

Country	1980 (%)	1985 (%)	1990 (%)	1995 (%)	2000 (%)
Italy	14.5	15.5	16.5	17.5	18.5
Germany	12.5	13.5	14.5	15.5	16.5
France	11.5	12.5	13.5	14.5	15.5
Spain	10.5	11.5	12.5	13.5	14.5
Japan	9.5	10.5	11.5	12.5	13.5
Canada	8.5	9.5	10.5	11.5	12.5
United States	7.5	8.5	9.5	10.5	11.5

Figure 1 is a line graph showing the time course of the effect of 100 mg/kg of diazepam on the plasma concentration of diazepam in rats. The x-axis represents time in hours (0 to 12), and the y-axis represents plasma concentration in mg/L (0 to 10). The graph shows a single peak at approximately 4 hours, reaching a concentration of about 8 mg/L. The legend indicates that the data points represent the mean $\pm$ SEM of six rats.

[illegible]